


SCHWERLAST

HYDRAULIK, KÜHLMITTEL UND FETTE




HYDRAULIKFLÜSSIGKEITEN							
SCHMIERSTOFF	HYDRO XHV ISO 2268	HYDRO HVLPD ISO 46	HYDRO HV ISO 32	HYDRO HV ISO 46	HYDRO HV ISO 68	HYDRO ISO 32	HYDRO ISO 46
PRODUKT KODE	3301	4426	4405	4406	4407	4005	4006
VISKOSITÄTS- INDEX	185	152	147	150	146	106	107
INDUSTRIE STANDARDS							
AFNOR	NF E 48-691 NF E 48-690 NF E 48-603 HV	-	NF E 48-691 NF E 48-690 NF E 48-603 HV	NF E 48-691 NF E 48-690 NF E 48-603 HV	NF E 48-691 NF E 48-690 NF E 48-603 HV	NF E 48-691 NF E 48-690 NF E 48-603 HM	NF E 48-691 NF E 48-690 NF E 48-603 HM
ASTM	-	-	-	-	-	D6158 HL, HM	D6158 HL, HM
CHINESISCHER STANDARD	-	-	-	-	-	GB 11118.1 L-HL L-HM	GB 11118.1 L-HL L-HM
DIN	51524 PART 3 13357 T1 / T2	51524 T3 HVLPD	51524 PART 3	51524 PART 3	51524 PART 3	51524 PART 2	51524 PART 2
ISO	6743-4, HV 11158, HV	6743-4 CLASS L-HV HV-LP	6743-4, HV 11158, HV	6743-4, HV, 11158, HV	6743-4, HV, 11158, HV	6743-4, HM, 11158, HM	6743-4, HM 11158, HM
JCMAS	-	-	-	-	-	HK P041	HK P041
SAE	-	-	-	-	-	MS1004	MS1004
US STAHL	-	-	-	-	-	126	126
OEM-SPEZIFIKATIONEN							
ALLISON	-	-	-	-	-	-	-
BOSCH REXROTH	-	-	-	-	-	RDE 90235	RDE 90235
CINCINNATI	MACHINE P-70 [ISO 46]	-	MACHINE P-68 [ISO 32]	MACHINE P-70 [ISO 46]	MACHINE P-69 [ISO 68]	MACHINE P-68 [ISO 32]	MACHINE P-70 [ISO 46]
DANIELI	-	-	-	-	-	0.000.001REV.15 TYP 10 / 11	0.000.001REV.15 TYP 10 / 11
DENISON	HF-2	-	HF-2 HF-1 HF-0	HF-2 HF-1 HF-0	HF-2 HF-1 HF-0	HF-2 HF-1 HF-0	HF-2 HF-1 HF-0
EATON	-	-	-	-	-	E-FDGN-TB002-E BROCHURE 03-401-2010	E-FDGN-TB002-E BROCHURE 03-401-2010
EATON VICKERS	M-2950-S I-286-S	-	M-2950-S I-286-S	M-2950-S I-286-S	M-2950-S I-286-S	M-2950-S I-286-S	M-2950-S I-286-S
GM	-	-	-	-	-	LS2 AW HYD.OIL	LS2 AW HYD.OIL
ZF	-	-	-	-	-	TE-ML 07H	TE-ML 07H
VERPACKUNG							
1L	-	-	-	8206504	-	-	8206306
5L	-	-	8230011	8206603	-	-	8206405
20L	8235436	8224799	8200670	8201172	8201677	8209154	8209659
60L	8235535	8224898	8200779	8201271	8201776	8209253	8209758
205L	8235634	8224997	8200878	8201370	8201875	8209352	8209857
1000L	8235733	8225093	8200977	8201479	8201974	8209451	8209956
LOSE WARE	8235832	8225192	8201073	8201578	8202070	8209550	8200069

SCHNELLÜBERSICHT




SCHWERLAST
HYDRAULIK, KÜHLMITTEL UND FETTE



KÜHLMITTEL			
KÜHLMITTEL	COOLANT EVO LL -36°C	COOLANT G12+ LL -36°C	COOLANT G11 -36°C
PRODUKT KODE	50154	50151	50150
FARBE	ROSA	ROSA	BLAU
INDUSTRIE STANDARDS			
AFNOR	NF R 15-601	NF R 15-601	NF R 15-601
ASTM	D6210, D4985, D4340, D3306, D1384	D6210, D4985, D3306	D4985, D3306
BS	6580-2010	6580	6580
CUNA	NC 956-16	-	-
FVV STD	FVV R 530:2005	HEFT R443	-
JASO	-	M325	-
JIS	K2234:2018	-	-
NATO	S759	S759	-
POLNISCHER STANDARD	PN-C-40007	PN-C-40007	PN-C-40007
ÖNORM	V5123	-	-
SAE	J814, J1941, J1034	J1034	J1034
UNE	26-361-88/1	-	-
OEM-SPEZIFIKATIONEN			
ATLAS	SUITABLE FOR USE	-	-
CASE	MAT 3624, JIC-501	MAT 3724	-
CATERPILLAR	GCM34	-	-
CLAAS	SUITABLE FOR USE	-	-
CUMMINS	CES 14603, CES 14439, 85T8-2	90T8-4, 85T8-2	-
DAEWOO	SUITABLE FOR USE	-	-
DAF	MAT 74002	74002	-
DTFR	29D120, 29C110, 29C100	29C110	29C100
DAVID BROWN	-	-	DBL-7700
DEUTZ	DQC-CC-14, DQC-CB-14, DQC-CA-14	0199-99-1115	-
DEUTZ FAHR	SUITABLE FOR USE	-	-
EICHER ENGINES	SUITABLE FOR USE	-	-
FAUN	SUITABLE FOR USE	-	-
FENDT	SUITABLE FOR USE	-	-
FORD	WSS-M97B57-A2, WSS-M97B44-D, MU7J 19544 CA, ESD M97 B49-A	WSS-M97B44-D	SSM-97B9102A
FUSO	SUITABLE FOR USE	-	-
GM	GMW 3420, B 040 1065	6277M, 1899M, 1825M	B 0400240
HITACHI	SUITABLE FOR USE	-	-
HUERLIMANN	SUITABLE FOR USE	-	-
IRISBUS	SUITABLE FOR USE	-	-
IRIZAR	SUITABLE FOR USE	-	-
ISUZU	SUITABLE FOR USE	-	-
IVECO	18-1830	-	-
JD	SUITABLE FOR USE	JDM H5, H24B1/C1	-
JENBACHER	TA 1000-0200	-	-
KOMATSU	SUITABLE FOR USE	077892	-
LIEBHERR	LH-00-COL5C	MD1-36-130	-
MAN	324 SNF, 324 SI-OAT EVO, 324 SI-OAT, 324 NF, 175D	324 SNF	324 NF
MTU	MTL 5048	MTL 5048	MTL 5048
NISSAN	SUITABLE FOR USE	-	-
PERKINS	SUITABLE FOR USE	-	-
RENAULT	RTCS-2 50/50	41-01-001	-
ROLLS-ROYCE	MTL 5048, LC-87	-	-
SCANIA	TB 1451	TB 1451	TB 145, S28917.3
TOYOTA	SUITABLE FOR USE	-	-
VOLVO	VCS-2, TR-31854114-002	128 6083 / 002	-
VW	TL 774-L [G12 EVO], TL 774-J [G13], TL 774-G [G12++], TL 774-F [G12+], TL 774-D [G12], TL 774-C [G11]	TL 774-F [G12+], TL 774-D [G12]	TL 774-C [G11]
ALS KONZENTRAT ERHÄLTICH			
	JA	JA	NEIN
VERPACKUNG			
1L	1052670	1052665	1052664
5L	1052671	1052669	1052668
20L	1052672	1052618	1052600
60L	1052673	1052619	1052601
205L	1052640	1052620	1052602
1000L	1053204	1053205	1052603

SCHWERLAST

HYDRAULIK, KÜHLMITTEL UND FETTE



SCHMIERFETT							
SCHMIERFETT	CALCIUM LITHIUM EP 2 HEAVY	HIGH TEMPERATURE GREASE 2	MOLY ANH CA GREASE EP 2	MULTI MOLY GREASE 2	ANH CA GREASE EP 2	LITHIUM GREASE EP 2	ANH CA GREASE EP 00
PRODUKT KODE	9183	9150	9220	9120	9230	9130	9280
VERDICKUNGS- MITTEL	Lithium-calcium	Clay	Anhydrous calcium	Lithium	Anhydrous calcium	Lithium	Anhydrous calcium
INDUSTRIE STANDARDS							
DIN	KP2K-20 51502	KP2N-30 51502	KPF2K-30 51502	KPF2K-30 51502	KP2K-30 51502	KP2K-30 51502	KP00M-40 51502
ISO	L-XB(F)CHB2 12924	L-XCDAB2 6743	L-XC(F)CIB2 12924	L-XCCIB2 6743	L-XC(F)CIB2 12924	L-XCCIB2 6743	L-XD(F)CIB00 12924
VERPACKUNG							
400G (SCHRAUBKARTUSCHE)	1053383	-	1053373	-	1053375	-	-
400G	-	-	-	8229855	-	8220265	-
18KG	8220371	8229565	1053273	8229954	1053288	8220463	1053302
50KG	8220470	8229664	1053274	8220067	1053289	8220562	1053303
180KG	-	-	1053275	8220166	1053290	8220661	1053304